

**COMPLETE ASSAY TABLE – Press Release Dated 05Dec24**  
***“Spanish Mountain Gold Provides Additional 2024 Drill Program Results”***

**Table 1: 2024 Drill Program**

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	8.09	9.50	1.41	<0.05
24-DH-1264	9.50	11.09	1.59	<0.05
24-DH-1264	11.09	12.00	0.91	<0.05
24-DH-1264	12.00	12.63	0.63	<0.05
24-DH-1264	12.63	14.00	1.37	<0.05
24-DH-1264	14.00	15.49	1.49	<0.05
24-DH-1264	15.49	17.00	1.51	<0.05
24-DH-1264	17.00	18.00	1.00	<0.05
24-DH-1264	18.00	18.90	0.90	<0.05
24-DH-1264	18.90	20.00	1.10	<0.05
24-DH-1264	20.00	21.50	1.50	<0.05
24-DH-1264	21.50	23.00	1.50	0.05
24-DH-1264	23.00	24.50	1.50	0.09
24-DH-1264	24.50	26.00	1.50	0.05
24-DH-1264	26.00	27.00	1.00	0.06
24-DH-1264	27.00	28.50	1.50	1.26
24-DH-1264	28.50	30.00	1.50	0.08
24-DH-1264	30.00	31.50	1.50	0.26
24-DH-1264	31.50	33.00	1.50	0.17
24-DH-1264	33.00	34.50	1.50	<0.05
24-DH-1264	34.50	36.00	1.50	<0.05
24-DH-1264	36.00	37.50	1.50	<0.05
24-DH-1264	37.50	39.00	1.50	0.33
24-DH-1264	39.00	40.50	1.50	0.09
24-DH-1264	40.50	42.20	1.70	<0.05
24-DH-1264	42.20	43.50	1.30	<0.05
24-DH-1264	43.50	45.00	1.50	<0.05
24-DH-1264	45.00	46.50	1.50	<0.05
24-DH-1264	46.50	48.00	1.50	<0.05
24-DH-1264	48.00	49.50	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	49.50	51.00	1.50	<0.05
24-DH-1264	51.00	52.50	1.50	<0.05
24-DH-1264	52.50	54.00	1.50	<0.05
24-DH-1264	54.00	55.50	1.50	<0.05
24-DH-1264	55.50	57.10	1.60	<0.05
24-DH-1264	57.10	57.80	0.70	<0.05
24-DH-1264	57.80	59.00	1.20	<0.05
24-DH-1264	59.00	60.50	1.50	<0.05
24-DH-1264	60.50	61.93	1.43	<0.05
24-DH-1264	61.93	63.00	1.07	<0.05
24-DH-1264	63.00	64.50	1.50	<0.05
24-DH-1264	64.50	65.30	0.80	<0.05
24-DH-1264	65.30	66.32	1.02	<0.05
24-DH-1264	66.32	67.50	1.18	<0.05
24-DH-1264	67.50	68.50	1.00	<0.05
24-DH-1264	68.50	70.00	1.50	<0.05
24-DH-1264	70.00	71.00	1.00	<0.05
24-DH-1264	71.00	72.50	1.50	<0.05
24-DH-1264	72.50	74.00	1.50	<0.05
24-DH-1264	74.00	75.50	1.50	0.09
24-DH-1264	75.50	77.00	1.50	0.05
24-DH-1264	77.00	78.50	1.50	<0.05
24-DH-1264	78.50	79.67	1.17	<0.05
24-DH-1264	79.67	81.00	1.33	<0.05
24-DH-1264	81.00	82.55	1.55	<0.05
24-DH-1264	82.55	84.05	1.50	<0.05
24-DH-1264	84.05	85.55	1.50	<0.05
24-DH-1264	85.55	87.00	1.45	<0.05
24-DH-1264	87.00	88.50	1.50	<0.05
24-DH-1264	88.50	89.50	1.00	<0.05
24-DH-1264	89.50	90.24	0.74	<0.05
24-DH-1264	90.24	91.34	1.10	0.05
24-DH-1264	91.34	92.50	1.16	0.05
24-DH-1264	92.50	94.00	1.50	<0.05
24-DH-1264	94.00	95.50	1.50	<0.05
24-DH-1264	95.50	96.50	1.00	<0.05
24-DH-1264	96.50	97.33	0.83	<0.05
24-DH-1264	97.33	98.60	1.27	<0.05
24-DH-1264	98.60	100.30	1.70	<0.05
24-DH-1264	100.30	101.75	1.45	<0.05
24-DH-1264	101.75	103.00	1.25	<0.05
24-DH-1264	103.00	104.50	1.50	<0.05
24-DH-1264	104.50	105.27	0.77	0.06

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	105.27	106.00	0.73	<0.05
24-DH-1264	106.00	106.94	0.94	<0.05
24-DH-1264	106.94	108.00	1.06	<0.05
24-DH-1264	108.00	109.50	1.50	<0.05
24-DH-1264	109.50	110.37	0.87	<0.05
24-DH-1264	110.37	111.00	0.63	0.08
24-DH-1264	111.00	112.00	1.00	0.08
24-DH-1264	112.00	112.93	0.93	0.09
24-DH-1264	112.93	114.00	1.07	<0.05
24-DH-1264	114.00	115.00	1.00	0.07
24-DH-1264	115.00	116.50	1.50	<0.05
24-DH-1264	116.50	118.00	1.50	<0.05
24-DH-1264	118.00	119.50	1.50	<0.05
24-DH-1264	119.50	121.00	1.50	<0.05
24-DH-1264	121.00	122.50	1.50	<0.05
24-DH-1264	122.50	124.25	1.75	<0.05
24-DH-1264	124.25	126.00	1.75	<0.05
24-DH-1264	126.00	127.75	1.75	<0.05
24-DH-1264	127.75	129.50	1.75	0.07
24-DH-1264	129.50	131.23	1.73	<0.05
24-DH-1264	131.23	133.00	1.77	0.16
24-DH-1264	133.00	134.75	1.75	0.12
24-DH-1264	134.75	136.50	1.75	<0.05
24-DH-1264	136.50	138.25	1.75	<0.05
24-DH-1264	138.25	140.00	1.75	0.56
24-DH-1264	140.00	141.50	1.50	0.09
24-DH-1264	141.50	143.22	1.72	0.15
24-DH-1264	143.22	145.00	1.78	<0.05
24-DH-1264	145.00	146.75	1.75	<0.05
24-DH-1264	146.75	148.50	1.75	<0.05
24-DH-1264	148.50	150.25	1.75	<0.05
24-DH-1264	150.25	152.00	1.75	<0.05
24-DH-1264	152.00	153.75	1.75	<0.05
24-DH-1264	153.75	155.50	1.75	0.05
24-DH-1264	155.50	157.25	1.75	<0.05
24-DH-1264	157.25	158.00	0.75	1.01
24-DH-1264	158.00	159.50	1.50	<0.05
24-DH-1264	159.50	161.27	1.77	0.29
24-DH-1264	161.27	163.00	1.73	<0.05
24-DH-1264	163.00	164.50	1.50	0.23
24-DH-1264	164.50	166.00	1.50	0.07
24-DH-1264	166.00	167.50	1.50	0.16
24-DH-1264	167.50	169.00	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	169.00	170.50	1.50	<0.05
24-DH-1264	170.50	172.00	1.50	0.64
24-DH-1264	172.00	173.50	1.50	<0.05
24-DH-1264	173.50	175.00	1.50	<0.05
24-DH-1264	175.00	176.50	1.50	0.05
24-DH-1264	176.50	178.00	1.50	<0.05
24-DH-1264	178.00	179.50	1.50	<0.05
24-DH-1264	179.50	181.00	1.50	<0.05
24-DH-1264	181.00	182.50	1.50	0.15
24-DH-1264	182.50	184.00	1.50	0.27
24-DH-1264	184.00	185.40	1.40	<0.05
24-DH-1264	185.40	186.48	1.08	1.24
24-DH-1264	186.48	188.00	1.52	<0.05
24-DH-1264	188.00	189.50	1.50	<0.05
24-DH-1264	189.50	191.00	1.50	<0.05
24-DH-1264	191.00	192.50	1.50	<0.05
24-DH-1264	192.50	194.00	1.50	<0.05
24-DH-1264	194.00	195.50	1.50	<0.05
24-DH-1264	195.50	197.00	1.50	0.16
24-DH-1264	197.00	198.50	1.50	<0.05
24-DH-1264	198.50	200.00	1.50	<0.05
24-DH-1264	200.00	201.00	1.00	<0.05
24-DH-1264	201.00	202.00	1.00	<0.05
24-DH-1264	202.00	202.75	0.75	0.05
24-DH-1264	202.75	203.75	1.00	2.98
24-DH-1264	203.75	204.50	0.75	<0.05
24-DH-1264	204.50	206.00	1.50	<0.05
24-DH-1264	206.00	207.50	1.50	<0.05
24-DH-1264	207.50	209.00	1.50	0.15
24-DH-1264	209.00	210.50	1.50	0.09
24-DH-1264	210.50	212.00	1.50	<0.05
24-DH-1264	212.00	213.50	1.50	<0.05
24-DH-1264	213.50	215.00	1.50	<0.05
24-DH-1264	215.00	216.50	1.50	0.1
24-DH-1264	216.50	218.00	1.50	<0.05
24-DH-1264	218.00	219.50	1.50	<0.05
24-DH-1264	219.50	221.20	1.70	<0.05
24-DH-1264	221.20	221.85	0.65	0.21
24-DH-1264	221.85	223.00	1.15	<0.05
24-DH-1264	223.00	224.50	1.50	<0.05
24-DH-1264	224.50	225.55	1.05	0.09
24-DH-1264	225.55	226.32	0.77	0.08
24-DH-1264	226.32	227.50	1.18	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	227.50	229.00	1.50	<0.05
24-DH-1264	229.00	230.50	1.50	<0.05
24-DH-1264	230.50	232.00	1.50	<0.05
24-DH-1264	232.00	233.50	1.50	<0.05
24-DH-1264	233.50	235.00	1.50	<0.05
24-DH-1264	235.00	236.50	1.50	<0.05
24-DH-1264	236.50	238.00	1.50	<0.05
24-DH-1264	238.00	239.50	1.50	<0.05
24-DH-1264	239.50	241.00	1.50	<0.05
24-DH-1264	241.00	242.50	1.50	<0.05
24-DH-1264	242.50	244.11	1.61	<0.05
24-DH-1264	244.11	245.20	1.09	<0.05
24-DH-1264	245.20	246.50	1.30	<0.05
24-DH-1264	246.50	248.00	1.50	0.07
24-DH-1264	248.00	249.50	1.50	0.05
24-DH-1264	249.50	251.00	1.50	0.06
24-DH-1264	251.00	252.50	1.50	<0.05
24-DH-1264	252.50	254.00	1.50	0.05
24-DH-1264	254.00	255.50	1.50	<0.05
24-DH-1264	255.50	257.00	1.50	0.06
24-DH-1264	257.00	258.50	1.50	0.05
24-DH-1264	258.50	260.00	1.50	0.08
24-DH-1264	260.00	261.50	1.50	0.07
24-DH-1264	261.50	263.00	1.50	0.06
24-DH-1264	263.00	263.60	0.60	0.06
24-DH-1264	263.60	265.00	1.40	0.09
24-DH-1264	265.00	266.50	1.50	0.21
24-DH-1264	266.50	268.00	1.50	0.42
24-DH-1264	268.00	269.50	1.50	0.09
24-DH-1264	269.50	271.00	1.50	0.61
24-DH-1264	271.00	272.50	1.50	0.14
24-DH-1264	272.50	274.00	1.50	<0.05
24-DH-1264	274.00	275.16	1.16	0.13
24-DH-1264	275.16	276.00	0.84	0.49
24-DH-1264	276.00	276.94	0.94	<0.05
24-DH-1264	276.94	278.12	1.18	0.39
24-DH-1264	278.12	279.50	1.38	0.77
24-DH-1264	279.50	281.00	1.50	0.42
24-DH-1264	281.00	282.50	1.50	0.25
24-DH-1264	282.50	284.00	1.50	<0.05
24-DH-1264	284.00	285.50	1.50	<0.05
24-DH-1264	285.50	287.00	1.50	0.1
24-DH-1264	287.00	288.50	1.50	0.38

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	288.50	290.00	1.50	0.18
24-DH-1264	290.00	291.50	1.50	0.32
24-DH-1264	291.50	293.00	1.50	0.05
24-DH-1264	293.00	294.50	1.50	0.05
24-DH-1264	294.50	296.00	1.50	0.05
24-DH-1264	296.00	297.50	1.50	0.19
24-DH-1264	297.50	299.00	1.50	0.05
24-DH-1264	299.00	300.50	1.50	<0.05
24-DH-1264	300.50	302.00	1.50	0.05
24-DH-1264	302.00	303.50	1.50	<0.05
24-DH-1264	303.50	305.00	1.50	<0.05
24-DH-1264	305.00	306.50	1.50	0.08
24-DH-1264	306.50	308.00	1.50	0.08
24-DH-1264	308.00	309.50	1.50	<0.05
24-DH-1264	309.50	311.00	1.50	<0.05
24-DH-1264	311.00	312.50	1.50	<0.05
24-DH-1264	312.50	314.00	1.50	<0.05
24-DH-1264	314.00	315.50	1.50	<0.05
24-DH-1264	315.50	317.00	1.50	0.24
24-DH-1264	317.00	318.50	1.50	<0.05
24-DH-1264	318.50	320.00	1.50	0.15
24-DH-1264	320.00	321.50	1.50	<0.05
24-DH-1264	321.50	323.00	1.50	<0.05
24-DH-1264	323.00	324.50	1.50	<0.05
24-DH-1264	324.50	326.00	1.50	<0.05
24-DH-1264	326.00	327.50	1.50	<0.05
24-DH-1264	327.50	329.00	1.50	<0.05
24-DH-1264	329.00	330.50	1.50	0.05
24-DH-1264	330.50	332.00	1.50	<0.05
24-DH-1264	332.00	333.50	1.50	<0.05
24-DH-1264	333.50	335.00	1.50	<0.05
24-DH-1264	335.00	336.50	1.50	<0.05
24-DH-1264	336.50	338.00	1.50	<0.05
24-DH-1264	338.00	339.50	1.50	<0.05
24-DH-1264	339.50	341.00	1.50	<0.05
24-DH-1264	341.00	342.50	1.50	<0.05
24-DH-1264	342.50	344.00	1.50	<0.05
24-DH-1264	344.00	345.50	1.50	<0.05
24-DH-1264	345.50	347.00	1.50	<0.05
24-DH-1264	347.00	348.50	1.50	<0.05
24-DH-1264	348.50	350.00	1.50	<0.05
24-DH-1264	350.00	351.60	1.60	<0.05
24-DH-1264	351.60	352.00	0.40	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	352.00	353.50	1.50	<0.05
24-DH-1264	353.50	355.00	1.50	<0.05
24-DH-1264	355.00	356.50	1.50	0.05
24-DH-1264	356.50	357.89	1.39	0.07
24-DH-1264	357.89	358.50	0.61	0.05
24-DH-1264	358.50	359.50	1.00	0.65
24-DH-1264	359.50	360.50	1.00	0.39
24-DH-1264	360.50	362.00	1.50	0.49
24-DH-1264	362.00	363.75	1.75	0.68
24-DH-1264	363.75	365.00	1.25	<0.05
24-DH-1264	365.00	366.50	1.50	0.06
24-DH-1264	366.50	368.00	1.50	<0.05
24-DH-1264	368.00	369.50	1.50	<0.05
24-DH-1264	369.50	371.00	1.50	<0.05
24-DH-1264	371.00	372.50	1.50	<0.05
24-DH-1264	372.50	374.00	1.50	<0.05
24-DH-1264	374.00	375.50	1.50	<0.05
24-DH-1264	375.50	377.00	1.50	0.13
24-DH-1264	377.00	378.50	1.50	<0.05
24-DH-1264	378.50	380.00	1.50	<0.05
24-DH-1264	380.00	381.50	1.50	<0.05
24-DH-1264	381.50	383.00	1.50	<0.05
24-DH-1264	383.00	384.50	1.50	<0.05
24-DH-1264	384.50	386.00	1.50	<0.05
24-DH-1264	386.00	387.50	1.50	<0.05
24-DH-1264	387.50	389.00	1.50	0.06
24-DH-1264	389.00	390.50	1.50	<0.05
24-DH-1264	390.50	392.00	1.50	<0.05
24-DH-1264	392.00	393.40	1.40	<0.05
24-DH-1264	393.40	395.00	1.60	<0.05
24-DH-1264	395.00	396.50	1.50	<0.05
24-DH-1264	396.50	398.00	1.50	<0.05
24-DH-1264	398.00	399.33	1.33	<0.05
24-DH-1264	399.33	400.44	1.11	0.13
24-DH-1264	400.44	401.50	1.06	0.15
24-DH-1264	401.50	403.00	1.50	<0.05
24-DH-1264	403.00	404.50	1.50	<0.05
24-DH-1264	404.50	405.65	1.15	<0.05
24-DH-1264	405.65	407.00	1.35	0.1
24-DH-1264	407.00	408.50	1.50	<0.05
24-DH-1264	408.50	410.00	1.50	<0.05
24-DH-1264	410.00	411.50	1.50	<0.05
24-DH-1264	411.50	413.00	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	413.00	414.00	1.00	<0.05
24-DH-1264	414.00	415.50	1.50	<0.05
24-DH-1264	415.50	417.00	1.50	<0.05
24-DH-1264	417.00	418.50	1.50	<0.05
24-DH-1264	418.50	419.90	1.40	<0.05
24-DH-1264	419.90	421.20	1.30	<0.05
24-DH-1264	421.20	422.55	1.35	<0.05
24-DH-1264	422.55	424.00	1.45	<0.05
24-DH-1264	424.00	425.50	1.50	<0.05
24-DH-1264	425.50	427.00	1.50	<0.05
24-DH-1264	427.00	428.50	1.50	<0.05
24-DH-1264	428.50	430.00	1.50	<0.05
24-DH-1264	430.00	431.50	1.50	<0.05
24-DH-1264	431.50	433.00	1.50	0.16
24-DH-1264	433.00	434.50	1.50	0.12
24-DH-1264	434.50	436.00	1.50	<0.05
24-DH-1264	436.00	437.50	1.50	0.42
24-DH-1264	437.50	438.88	1.38	0.07
24-DH-1264	438.88	440.00	1.12	0.35
24-DH-1264	440.00	441.50	1.50	<0.05
24-DH-1264	441.50	443.00	1.50	<0.05
24-DH-1264	443.00	444.50	1.50	<0.05
24-DH-1264	444.50	446.00	1.50	<0.05
24-DH-1264	446.00	447.50	1.50	<0.05
24-DH-1264	447.50	449.00	1.50	<0.05
24-DH-1264	449.00	450.50	1.50	0.06
24-DH-1264	450.50	452.00	1.50	0.13
24-DH-1264	452.00	453.50	1.50	0.1
24-DH-1264	453.50	455.00	1.50	0.1
24-DH-1264	455.00	456.46	1.46	0.13
24-DH-1264	456.46	457.50	1.04	0.14
24-DH-1264	457.50	459.00	1.50	0.14
24-DH-1264	459.00	460.50	1.50	0.11
24-DH-1264	460.50	462.00	1.50	0.15
24-DH-1264	462.00	463.50	1.50	0.1
24-DH-1264	463.50	465.00	1.50	0.1
24-DH-1264	465.00	466.50	1.50	0.1
24-DH-1264	466.50	468.00	1.50	0.15
24-DH-1264	468.00	469.50	1.50	0.07
24-DH-1264	469.50	471.00	1.50	0.1
24-DH-1264	471.00	472.50	1.50	0.12
24-DH-1264	472.50	474.00	1.50	0.12
24-DH-1264	474.00	475.50	1.50	0.09



<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	475.50	476.10	0.60	0.1
24-DH-1264	476.10	477.50	1.40	0.1
24-DH-1264	477.50	478.86	1.36	0.08
24-DH-1264	478.86	480.50	1.64	<0.05
24-DH-1264	480.50	481.00	0.50	<0.05
24-DH-1264	481.00	482.50	1.50	<0.05
24-DH-1264	482.50	484.05	1.55	<0.05
24-DH-1264	484.05	485.50	1.45	0.1
24-DH-1264	485.50	487.00	1.50	0.11
24-DH-1264	487.00	488.50	1.50	0.14
24-DH-1264	488.50	490.00	1.50	0.12
24-DH-1264	490.00	491.50	1.50	0.09
24-DH-1264	491.50	492.27	0.77	0.05
24-DH-1264	492.27	493.57	1.30	<0.05
24-DH-1264	493.57	495.00	1.43	<0.05
24-DH-1264	495.00	496.50	1.50	<0.05
24-DH-1264	496.50	497.25	0.75	<0.05
24-DH-1264	497.25	498.50	1.25	<0.05
24-DH-1264	498.50	500.00	1.50	<0.05
24-DH-1264	500.00	501.50	1.50	<0.05
24-DH-1264	501.50	503.00	1.50	0.1
24-DH-1264	503.00	504.50	1.50	<0.05
24-DH-1264	504.50	506.00	1.50	<0.05
24-DH-1264	506.00	507.50	1.50	<0.05
24-DH-1264	507.50	509.00	1.50	<0.05
24-DH-1264	509.00	509.95	0.95	<0.05
24-DH-1264	509.95	511.50	1.55	0.12
24-DH-1264	511.50	512.44	0.94	0.07
24-DH-1264	512.44	513.43	0.99	<0.05
24-DH-1264	513.43	514.48	1.05	0.05
24-DH-1264	514.48	515.00	0.52	<0.05
24-DH-1264	515.00	516.50	1.50	<0.05
24-DH-1264	516.50	518.00	1.50	<0.05
24-DH-1264	518.00	519.50	1.50	<0.05
24-DH-1264	519.50	520.50	1.00	<0.05
24-DH-1264	520.50	522.00	1.50	0.06
24-DH-1264	522.00	523.50	1.50	0.07
24-DH-1264	523.50	525.00	1.50	0.07
24-DH-1264	525.00	526.50	1.50	0.13
24-DH-1264	526.50	528.00	1.50	0.09
24-DH-1264	528.00	529.50	1.50	0.1
24-DH-1264	529.50	531.00	1.50	0.06
24-DH-1264	531.00	532.50	1.50	0.13

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1264	532.50	534.00	1.50	0.08
24-DH-1264	534.00	535.50	1.50	0.09
24-DH-1264	535.50	537.00	1.50	0.09
24-DH-1264	537.00	538.50	1.50	0.1
24-DH-1264	538.50	540.00	1.50	0.14
24-DH-1264	540.00	541.50	1.50	0.09
24-DH-1264	541.50	543.00	1.50	0.07
24-DH-1264	543.00	544.50	1.50	0.08
24-DH-1264	544.50	546.00	1.50	0.07
24-DH-1264	546.00	547.50	1.50	0.11
24-DH-1264	547.50	549.00	1.50	0.06
24-DH-1264	549.00	550.50	1.50	<0.05
24-DH-1264	550.50	552.00	1.50	0.06
24-DH-1264	552.00	553.50	1.50	<0.05
24-DH-1264	553.50	555.00	1.50	<0.05
24-DH-1264	555.00	556.50	1.50	<0.05
24-DH-1264	556.50	558.00	1.50	0.1
24-DH-1264	558.00	559.50	1.50	0.32
24-DH-1264	559.50	561.00	1.50	0.53
24-DH-1264	561.00	562.50	1.50	0.23
24-DH-1264	562.50	564.00	1.50	0.12
24-DH-1264	564.00	565.50	1.50	<0.05
24-DH-1264	565.50	566.00	0.50	<0.05
24-DH-1264	566.00	567.50	1.50	<0.05
24-DH-1264	567.50	569.00	1.50	<0.05
24-DH-1264	569.00	570.50	1.50	<0.05
24-DH-1264	570.50	572.00	1.50	<0.05
24-DH-1264	572.00	573.50	1.50	<0.05
24-DH-1264	573.50	575.00	1.50	<0.05
24-DH-1264	575.00	576.50	1.50	<0.05
24-DH-1264	576.50	578.00	1.50	<0.05
24-DH-1264	578.00	579.50	1.50	<0.05
24-DH-1264	579.50	581.00	1.50	0.06
24-DH-1264	581.00	582.50	1.50	<0.05
24-DH-1264	582.50	584.00	1.50	0.06
24-DH-1265	9.00	10.50	1.50	<0.05
24-DH-1265	10.50	12.00	1.50	0.06
24-DH-1265	12.00	13.50	1.50	0.05
24-DH-1265	13.50	15.00	1.50	0.06
24-DH-1265	15.00	16.50	1.50	<0.05
24-DH-1265	16.50	18.00	1.50	<0.05
24-DH-1265	18.00	19.50	1.50	<0.05
24-DH-1265	19.50	20.43	0.93	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	20.43	23.00	2.57	0.07
24-DH-1265	23.00	25.00	2.00	<0.05
24-DH-1265	25.00	27.00	2.00	<0.05
24-DH-1265	27.00	28.50	1.50	<0.05
24-DH-1265	28.50	30.00	1.50	<0.05
24-DH-1265	30.00	31.50	1.50	<0.05
24-DH-1265	31.50	33.00	1.50	<0.05
24-DH-1265	33.00	34.50	1.50	<0.05
24-DH-1265	34.50	36.00	1.50	<0.05
24-DH-1265	36.00	37.50	1.50	<0.05
24-DH-1265	37.50	39.00	1.50	<0.05
24-DH-1265	39.00	40.50	1.50	<0.05
24-DH-1265	40.50	42.00	1.50	0.05
24-DH-1265	42.00	43.50	1.50	<0.05
24-DH-1265	43.50	45.00	1.50	<0.05
24-DH-1265	45.00	46.50	1.50	<0.05
24-DH-1265	46.50	48.00	1.50	<0.05
24-DH-1265	48.00	49.50	1.50	<0.05
24-DH-1265	49.50	51.00	1.50	0.06
24-DH-1265	51.00	52.50	1.50	<0.05
24-DH-1265	52.50	53.25	0.75	<0.05
24-DH-1265	53.25	54.13	0.88	<0.05
24-DH-1265	54.13	55.00	0.87	<0.05
24-DH-1265	55.00	56.50	1.50	0.05
24-DH-1265	56.50	58.00	1.50	0.21
24-DH-1265	58.00	59.50	1.50	0.15
24-DH-1265	59.50	61.00	1.50	0.2
24-DH-1265	61.00	62.50	1.50	0.2
24-DH-1265	62.50	64.00	1.50	0.12
24-DH-1265	64.00	65.50	1.50	0.1
24-DH-1265	65.50	67.00	1.50	0.1
24-DH-1265	67.00	68.50	1.50	0.14
24-DH-1265	68.50	70.00	1.50	0.09
24-DH-1265	70.00	71.50	1.50	<0.05
24-DH-1265	71.50	73.00	1.50	0.11
24-DH-1265	73.00	74.50	1.50	0.2
24-DH-1265	74.50	76.00	1.50	0.19
24-DH-1265	76.00	77.50	1.50	0.16
24-DH-1265	77.50	79.00	1.50	0.18
24-DH-1265	79.00	80.50	1.50	0.16
24-DH-1265	80.50	82.00	1.50	0.16
24-DH-1265	82.00	83.50	1.50	0.18
24-DH-1265	83.50	85.00	1.50	0.12

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	85.00	86.50	1.50	0.11
24-DH-1265	86.50	88.00	1.50	0.2
24-DH-1265	88.00	89.50	1.50	0.12
24-DH-1265	89.50	91.00	1.50	0.07
24-DH-1265	91.00	92.50	1.50	<0.05
24-DH-1265	92.50	94.00	1.50	<0.05
24-DH-1265	94.00	95.50	1.50	<0.05
24-DH-1265	95.50	97.00	1.50	<0.05
24-DH-1265	97.00	98.50	1.50	<0.05
24-DH-1265	98.50	100.00	1.50	<0.05
24-DH-1265	100.00	101.50	1.50	<0.05
24-DH-1265	101.50	103.00	1.50	<0.05
24-DH-1265	103.00	104.50	1.50	<0.05
24-DH-1265	104.50	106.00	1.50	<0.05
24-DH-1265	106.00	107.50	1.50	<0.05
24-DH-1265	107.50	109.00	1.50	<0.05
24-DH-1265	109.00	110.50	1.50	<0.05
24-DH-1265	110.50	112.00	1.50	<0.05
24-DH-1265	112.00	113.50	1.50	0.07
24-DH-1265	113.50	115.00	1.50	0.09
24-DH-1265	115.00	116.50	1.50	0.86
24-DH-1265	116.50	118.00	1.50	0.33
24-DH-1265	118.00	119.50	1.50	0.2
24-DH-1265	119.50	121.00	1.50	0.12
24-DH-1265	121.00	122.50	1.50	0.3
24-DH-1265	122.50	124.00	1.50	<0.05
24-DH-1265	124.00	125.50	1.50	0.1
24-DH-1265	125.50	127.00	1.50	<0.05
24-DH-1265	127.00	128.50	1.50	0.13
24-DH-1265	128.50	130.00	1.50	0.17
24-DH-1265	130.00	131.50	1.50	0.18
24-DH-1265	131.50	133.00	1.50	11.95
24-DH-1265	133.00	134.50	1.50	<0.05
24-DH-1265	134.50	136.00	1.50	<0.05
24-DH-1265	136.00	137.50	1.50	<0.05
24-DH-1265	137.50	139.00	1.50	0.55
24-DH-1265	139.00	140.50	1.50	<0.05
24-DH-1265	140.50	142.00	1.50	<0.05
24-DH-1265	142.00	143.50	1.50	<0.05
24-DH-1265	143.50	145.00	1.50	<0.05
24-DH-1265	145.00	146.50	1.50	<0.05
24-DH-1265	146.50	148.00	1.50	0.08
24-DH-1265	148.00	149.50	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	149.50	151.00	1.50	<0.05
24-DH-1265	151.00	152.50	1.50	<0.05
24-DH-1265	152.50	154.00	1.50	<0.05
24-DH-1265	154.00	155.00	1.00	<0.05
24-DH-1265	155.00	156.00	1.00	0.23
24-DH-1265	156.00	157.20	1.20	0.22
24-DH-1265	157.20	158.00	0.80	3.03
24-DH-1265	158.00	159.50	1.50	0.44
24-DH-1265	159.50	161.00	1.50	<0.05
24-DH-1265	161.00	162.50	1.50	0.38
24-DH-1265	162.50	164.00	1.50	0.33
24-DH-1265	164.00	165.50	1.50	<0.05
24-DH-1265	165.50	167.00	1.50	<0.05
24-DH-1265	167.00	168.50	1.50	<0.05
24-DH-1265	168.50	170.00	1.50	NSS
24-DH-1265	170.00	171.50	1.50	<0.05
24-DH-1265	171.50	172.63	1.13	<0.05
24-DH-1265	172.63	173.44	0.81	0.46
24-DH-1265	173.44	175.00	1.56	<0.05
24-DH-1265	175.00	176.50	1.50	NSS
24-DH-1265	176.50	178.00	1.50	<0.05
24-DH-1265	178.00	179.50	1.50	<0.05
24-DH-1265	179.50	181.00	1.50	<0.05
24-DH-1265	181.00	182.50	1.50	0.18
24-DH-1265	182.50	184.00	1.50	<0.05
24-DH-1265	184.00	185.50	1.50	<0.05
24-DH-1265	185.50	187.00	1.50	<0.05
24-DH-1265	187.00	188.50	1.50	<0.05
24-DH-1265	188.50	190.00	1.50	<0.05
24-DH-1265	190.00	191.50	1.50	<0.05
24-DH-1265	191.50	193.00	1.50	<0.05
24-DH-1265	193.00	194.50	1.50	<0.05
24-DH-1265	194.50	195.50	1.00	<0.05
24-DH-1265	195.50	197.00	1.50	<0.05
24-DH-1265	197.00	198.50	1.50	<0.05
24-DH-1265	198.50	200.00	1.50	<0.05
24-DH-1265	200.00	201.50	1.50	<0.05
24-DH-1265	201.50	203.00	1.50	<0.05
24-DH-1265	203.00	204.50	1.50	<0.05
24-DH-1265	204.50	206.00	1.50	<0.05
24-DH-1265	206.00	207.50	1.50	<0.05
24-DH-1265	207.50	209.00	1.50	<0.05
24-DH-1265	209.00	210.50	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	210.50	212.00	1.50	<0.05
24-DH-1265	212.00	213.50	1.50	<0.05
24-DH-1265	213.50	215.00	1.50	<0.05
24-DH-1265	215.00	216.50	1.50	<0.05
24-DH-1265	216.50	218.00	1.50	<0.05
24-DH-1265	218.00	219.50	1.50	0.17
24-DH-1265	219.50	221.00	1.50	<0.05
24-DH-1265	221.00	222.50	1.50	<0.05
24-DH-1265	222.50	224.00	1.50	<0.05
24-DH-1265	224.00	225.50	1.50	<0.05
24-DH-1265	225.50	227.00	1.50	<0.05
24-DH-1265	227.00	228.50	1.50	0.05
24-DH-1265	228.50	230.00	1.50	<0.05
24-DH-1265	230.00	231.50	1.50	<0.05
24-DH-1265	231.50	233.00	1.50	<0.05
24-DH-1265	233.00	234.50	1.50	<0.05
24-DH-1265	234.50	236.00	1.50	<0.05
24-DH-1265	236.00	237.50	1.50	<0.05
24-DH-1265	237.50	239.00	1.50	0.05
24-DH-1265	239.00	240.50	1.50	0.07
24-DH-1265	240.50	242.00	1.50	<0.05
24-DH-1265	242.00	243.50	1.50	<0.05
24-DH-1265	243.50	245.00	1.50	<0.05
24-DH-1265	245.00	246.50	1.50	<0.05
24-DH-1265	246.50	248.00	1.50	0.09
24-DH-1265	248.00	249.50	1.50	0.06
24-DH-1265	249.50	251.00	1.50	<0.05
24-DH-1265	251.00	252.50	1.50	<0.05
24-DH-1265	252.50	254.00	1.50	<0.05
24-DH-1265	254.00	255.50	1.50	0.05
24-DH-1265	255.50	257.00	1.50	<0.05
24-DH-1265	257.00	258.50	1.50	<0.05
24-DH-1265	258.50	260.00	1.50	0.05
24-DH-1265	260.00	261.50	1.50	<0.05
24-DH-1265	261.50	263.00	1.50	<0.05
24-DH-1265	263.00	264.50	1.50	0.16
24-DH-1265	264.50	266.00	1.50	0.09
24-DH-1265	266.00	267.70	1.70	0.16
24-DH-1265	267.70	269.00	1.30	0.06
24-DH-1265	269.00	270.50	1.50	0.09
24-DH-1265	270.50	272.00	1.50	<0.05
24-DH-1265	272.00	273.50	1.50	0.1
24-DH-1265	273.50	275.00	1.50	0.06

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	275.00	276.47	1.47	0.16
24-DH-1265	276.47	278.00	1.53	0.37
24-DH-1265	278.00	279.00	1.00	<0.05
24-DH-1265	279.00	280.00	1.00	<0.05
24-DH-1265	280.00	281.20	1.20	<0.05
24-DH-1265	281.20	282.20	1.00	0.07
24-DH-1265	282.20	283.10	0.90	<0.05
24-DH-1265	283.10	284.00	0.90	<0.05
24-DH-1265	284.00	285.38	1.38	<0.05
24-DH-1265	285.38	287.00	1.62	0.92
24-DH-1265	287.00	288.50	1.50	2.98
24-DH-1265	288.50	290.00	1.50	0.29
24-DH-1265	290.00	291.50	1.50	0.1
24-DH-1265	291.50	293.00	1.50	0.21
24-DH-1265	293.00	294.50	1.50	0.19
24-DH-1265	294.50	296.00	1.50	0.22
24-DH-1265	296.00	297.50	1.50	0.07
24-DH-1265	297.50	299.00	1.50	0.42
24-DH-1265	299.00	300.50	1.50	0.6
24-DH-1265	300.50	302.00	1.50	0.77
24-DH-1265	302.00	303.50	1.50	0.94
24-DH-1265	303.50	304.31	0.81	1.13
24-DH-1265	304.31	305.20	0.89	0.56
24-DH-1265	305.20	306.15	0.95	0.35
24-DH-1265	306.15	307.60	1.45	0.64
24-DH-1265	307.60	309.00	1.40	<0.05
24-DH-1265	309.00	310.50	1.50	<0.05
24-DH-1265	310.50	312.00	1.50	<0.05
24-DH-1265	312.00	313.50	1.50	<0.05
24-DH-1265	313.50	315.00	1.50	<0.05
24-DH-1265	315.00	316.50	1.50	<0.05
24-DH-1265	316.50	318.00	1.50	<0.05
24-DH-1265	318.00	319.50	1.50	<0.05
24-DH-1265	319.50	321.00	1.50	1.21
24-DH-1265	321.00	322.50	1.50	0.05
24-DH-1265	322.50	324.00	1.50	0.08
24-DH-1265	324.00	325.50	1.50	<0.05
24-DH-1265	325.50	327.00	1.50	0.18
24-DH-1265	327.00	328.50	1.50	<0.05
24-DH-1265	328.50	329.54	1.04	<0.05
24-DH-1265	329.54	331.00	1.46	0.4
24-DH-1265	331.00	332.50	1.50	0.15
24-DH-1265	332.50	334.00	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	334.00	335.50	1.50	<0.05
24-DH-1265	335.50	337.05	1.55	0.06
24-DH-1265	337.05	338.50	1.45	<0.05
24-DH-1265	338.50	340.00	1.50	<0.05
24-DH-1265	340.00	341.50	1.50	0.38
24-DH-1265	341.50	343.25	1.75	0.05
24-DH-1265	343.25	344.50	1.25	<0.05
24-DH-1265	344.50	346.00	1.50	<0.05
24-DH-1265	346.00	347.50	1.50	0.33
24-DH-1265	347.50	349.00	1.50	0.11
24-DH-1265	349.00	350.50	1.50	0.07
24-DH-1265	350.50	352.00	1.50	0.4
24-DH-1265	352.00	353.50	1.50	0.1
24-DH-1265	353.50	355.00	1.50	<0.05
24-DH-1265	355.00	356.50	1.50	2.17
24-DH-1265	356.50	358.00	1.50	0.07
24-DH-1265	358.00	359.50	1.50	0.1
24-DH-1265	359.50	361.00	1.50	0.15
24-DH-1265	361.00	362.50	1.50	0.1
24-DH-1265	362.50	364.00	1.50	<0.05
24-DH-1265	364.00	365.50	1.50	<0.05
24-DH-1265	365.50	366.76	1.26	<0.05
24-DH-1265	366.76	368.00	1.24	0.16
24-DH-1265	368.00	369.50	1.50	0.07
24-DH-1265	369.50	371.00	1.50	<0.05
24-DH-1265	371.00	372.50	1.50	<0.05
24-DH-1265	372.50	374.00	1.50	<0.05
24-DH-1265	374.00	375.00	1.00	0.05
24-DH-1265	375.00	376.00	1.00	0.07
24-DH-1265	376.00	377.50	1.50	<0.05
24-DH-1265	377.50	379.00	1.50	<0.05
24-DH-1265	379.00	380.50	1.50	0.11
24-DH-1265	380.50	382.00	1.50	0.06
24-DH-1265	382.00	383.50	1.50	0.05
24-DH-1265	383.50	385.00	1.50	0.05
24-DH-1265	385.00	386.50	1.50	0.07
24-DH-1265	386.50	388.00	1.50	<0.05
24-DH-1265	388.00	389.50	1.50	0.26
24-DH-1265	389.50	391.00	1.50	0.16
24-DH-1265	391.00	392.26	1.26	0.85
24-DH-1265	392.26	393.50	1.24	0.17
24-DH-1265	393.50	395.00	1.50	0.16
24-DH-1265	395.00	396.50	1.50	<0.05



<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	396.50	398.00	1.50	0.19
24-DH-1265	398.00	399.50	1.50	NSS
24-DH-1265	399.50	400.50	1.00	<0.05
24-DH-1265	400.50	401.80	1.30	<0.05
24-DH-1265	401.80	403.50	1.70	<0.05
24-DH-1265	403.50	405.00	1.50	<0.05
24-DH-1265	405.00	406.20	1.20	<0.05
24-DH-1265	406.20	407.50	1.30	<0.05
24-DH-1265	407.50	409.00	1.50	<0.05
24-DH-1265	409.00	410.50	1.50	<0.05
24-DH-1265	410.50	412.00	1.50	0.27
24-DH-1265	412.00	413.50	1.50	<0.05
24-DH-1265	413.50	415.00	1.50	1.06
24-DH-1265	415.00	416.50	1.50	0.24
24-DH-1265	416.50	418.00	1.50	0.49
24-DH-1265	418.00	419.50	1.50	<0.05
24-DH-1265	419.50	421.00	1.50	<0.05
24-DH-1265	421.00	422.50	1.50	<0.05
24-DH-1265	422.50	424.00	1.50	<0.05
24-DH-1265	424.00	425.00	1.00	<0.05
24-DH-1265	425.00	426.50	1.50	<0.05
24-DH-1265	426.50	428.00	1.50	<0.05
24-DH-1265	428.00	429.50	1.50	<0.05
24-DH-1265	429.50	430.50	1.00	0.3
24-DH-1265	430.50	432.00	1.50	<0.05
24-DH-1265	432.00	433.50	1.50	0.61
24-DH-1265	433.50	435.00	1.50	0.33
24-DH-1265	435.00	436.50	1.50	0.14
24-DH-1265	436.50	438.00	1.50	0.16
24-DH-1265	438.00	439.50	1.50	0.79
24-DH-1265	439.50	441.00	1.50	0.25
24-DH-1265	441.00	442.50	1.50	0.25
24-DH-1265	442.50	444.00	1.50	3.07
24-DH-1265	444.00	445.00	1.00	0.41
24-DH-1265	445.00	446.50	1.50	0.58
24-DH-1265	446.50	448.00	1.50	0.14
24-DH-1265	448.00	449.50	1.50	0.26
24-DH-1265	449.50	451.00	1.50	0.49
24-DH-1265	451.00	452.50	1.50	0.09
24-DH-1265	452.50	454.00	1.50	<0.05
24-DH-1265	454.00	455.50	1.50	0.16
24-DH-1265	455.50	457.00	1.50	3.35
24-DH-1265	457.00	458.50	1.50	0.07

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	458.50	460.00	1.50	0.23
24-DH-1265	460.00	461.50	1.50	<0.05
24-DH-1265	461.50	463.00	1.50	<0.05
24-DH-1265	463.00	464.50	1.50	<0.05
24-DH-1265	464.50	466.00	1.50	<0.05
24-DH-1265	466.00	467.50	1.50	0.55
24-DH-1265	467.50	469.00	1.50	0.14
24-DH-1265	469.00	470.50	1.50	<0.05
24-DH-1265	470.50	472.00	1.50	<0.05
24-DH-1265	472.00	473.50	1.50	<0.05
24-DH-1265	473.50	475.00	1.50	<0.05
24-DH-1265	475.00	476.50	1.50	0.11
24-DH-1265	476.50	478.00	1.50	<0.05
24-DH-1265	478.00	479.50	1.50	<0.05
24-DH-1265	479.50	481.00	1.50	0.07
24-DH-1265	481.00	482.50	1.50	<0.05
24-DH-1265	482.50	484.00	1.50	<0.05
24-DH-1265	484.00	485.50	1.50	<0.05
24-DH-1265	485.50	487.00	1.50	<0.05
24-DH-1265	487.00	488.50	1.50	<0.05
24-DH-1265	488.50	490.00	1.50	<0.05
24-DH-1265	490.00	491.50	1.50	<0.05
24-DH-1265	491.50	493.00	1.50	0.09
24-DH-1265	493.00	494.50	1.50	<0.05
24-DH-1265	494.50	496.00	1.50	<0.05
24-DH-1265	496.00	497.50	1.50	<0.05
24-DH-1265	497.50	499.00	1.50	0.12
24-DH-1265	499.00	500.50	1.50	1.71
24-DH-1265	500.50	502.00	1.50	2.38
24-DH-1265	502.00	503.50	1.50	0.64
24-DH-1265	503.50	504.50	1.00	0.07
24-DH-1265	504.50	505.50	1.00	0.38
24-DH-1265	505.50	507.00	1.50	0.65
24-DH-1265	507.00	508.50	1.50	0.1
24-DH-1265	508.50	510.00	1.50	<0.05
24-DH-1265	510.00	511.50	1.50	0.06
24-DH-1265	511.50	513.00	1.50	0.3
24-DH-1265	513.00	514.50	1.50	0.36
24-DH-1265	514.50	516.00	1.50	0.08
24-DH-1265	516.00	517.50	1.50	1
24-DH-1265	517.50	519.00	1.50	0.14
24-DH-1265	519.00	520.50	1.50	0.08
24-DH-1265	520.50	521.50	1.00	0.25

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1265	521.50	522.50	1.00	0.19
24-DH-1265	522.50	524.00	1.50	0.68
24-DH-1265	524.00	525.50	1.50	0.18
24-DH-1265	525.50	527.00	1.50	0.3
24-DH-1265	527.00	528.50	1.50	0.15
24-DH-1265	528.50	530.00	1.50	0.14
24-DH-1265	530.00	531.50	1.50	0.14
24-DH-1265	531.50	533.00	1.50	0.32
24-DH-1265	533.00	534.50	1.50	0.39
24-DH-1265	534.50	536.00	1.50	<0.05
24-DH-1265	536.00	537.50	1.50	0.36
24-DH-1266	9.00	10.50	1.50	<0.05
24-DH-1266	10.50	12.00	1.50	<0.05
24-DH-1266	12.00	13.50	1.50	<0.05
24-DH-1266	13.50	15.00	1.50	<0.05
24-DH-1266	15.00	16.50	1.50	<0.05
24-DH-1266	16.50	18.00	1.50	<0.05
24-DH-1266	18.00	19.70	1.70	<0.05
24-DH-1266	19.70	21.00	1.30	<0.05
24-DH-1266	21.00	22.50	1.50	<0.05
24-DH-1266	22.50	24.00	1.50	<0.05
24-DH-1266	24.00	25.00	1.00	<0.05
24-DH-1266	25.00	26.50	1.50	<0.05
24-DH-1266	26.50	28.00	1.50	<0.05
24-DH-1266	28.00	29.50	1.50	<0.05
24-DH-1266	29.50	31.00	1.50	<0.05
24-DH-1266	31.00	32.50	1.50	<0.05
24-DH-1266	32.50	34.00	1.50	<0.05
24-DH-1266	34.00	35.50	1.50	<0.05
24-DH-1266	35.50	37.00	1.50	<0.05
24-DH-1266	37.00	38.50	1.50	<0.05
24-DH-1266	38.50	40.00	1.50	<0.05
24-DH-1266	40.00	41.50	1.50	<0.05
24-DH-1266	41.50	43.00	1.50	0.05
24-DH-1266	43.00	44.50	1.50	<0.05
24-DH-1266	44.50	46.00	1.50	0.4
24-DH-1266	46.00	47.50	1.50	0.26
24-DH-1266	47.50	49.00	1.50	<0.05
24-DH-1266	49.00	50.50	1.50	<0.05
24-DH-1266	50.50	52.00	1.50	<0.05
24-DH-1266	52.00	53.50	1.50	<0.05
24-DH-1266	53.50	54.65	1.15	<0.05
24-DH-1266	54.65	56.00	1.35	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	56.00	57.50	1.50	<0.05
24-DH-1266	57.50	58.50	1.00	0.05
24-DH-1266	58.50	59.50	1.00	0.07
24-DH-1266	59.50	61.00	1.50	0.07
24-DH-1266	61.00	62.50	1.50	0.07
24-DH-1266	62.50	64.00	1.50	<0.05
24-DH-1266	64.00	65.50	1.50	<0.05
24-DH-1266	65.50	67.00	1.50	0.06
24-DH-1266	67.00	68.50	1.50	<0.05
24-DH-1266	68.50	70.00	1.50	<0.05
24-DH-1266	70.00	71.50	1.50	<0.05
24-DH-1266	71.50	72.50	1.00	0.06
24-DH-1266	72.50	73.75	1.25	0.07
24-DH-1266	73.75	74.80	1.05	0.11
24-DH-1266	74.80	76.65	1.85	0.11
24-DH-1266	76.65	77.80	1.15	0.09
24-DH-1266	77.80	79.00	1.20	0.1
24-DH-1266	79.00	80.50	1.50	0.14
24-DH-1266	80.50	82.00	1.50	0.19
24-DH-1266	82.00	83.50	1.50	0.19
24-DH-1266	83.50	85.00	1.50	0.19
24-DH-1266	85.00	86.50	1.50	0.18
24-DH-1266	86.50	88.00	1.50	0.26
24-DH-1266	88.00	89.50	1.50	0.27
24-DH-1266	89.50	91.00	1.50	0.23
24-DH-1266	91.00	92.50	1.50	0.21
24-DH-1266	92.50	94.00	1.50	0.19
24-DH-1266	94.00	95.50	1.50	0.12
24-DH-1266	95.50	97.00	1.50	0.07
24-DH-1266	97.00	98.50	1.50	<0.05
24-DH-1266	98.50	100.00	1.50	0.25
24-DH-1266	100.00	101.50	1.50	0.09
24-DH-1266	101.50	103.00	1.50	<0.05
24-DH-1266	103.00	104.50	1.50	<0.05
24-DH-1266	104.50	106.00	1.50	<0.05
24-DH-1266	106.00	107.50	1.50	0.09
24-DH-1266	107.50	109.00	1.50	<0.05
24-DH-1266	109.00	110.00	1.00	<0.05
24-DH-1266	110.00	111.00	1.00	<0.05
24-DH-1266	111.00	112.50	1.50	<0.05
24-DH-1266	112.50	114.00	1.50	<0.05
24-DH-1266	114.00	115.50	1.50	<0.05
24-DH-1266	115.50	116.70	1.20	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	116.70	118.00	1.30	<0.05
24-DH-1266	118.00	119.50	1.50	0.09
24-DH-1266	119.50	121.00	1.50	<0.05
24-DH-1266	121.00	122.00	1.00	<0.05
24-DH-1266	122.00	123.00	1.00	<0.05
24-DH-1266	123.00	124.50	1.50	<0.05
24-DH-1266	124.50	126.00	1.50	0.15
24-DH-1266	126.00	127.50	1.50	<0.05
24-DH-1266	127.50	129.00	1.50	0.34
24-DH-1266	129.00	130.50	1.50	<0.05
24-DH-1266	130.50	132.00	1.50	<0.05
24-DH-1266	132.00	133.50	1.50	<0.05
24-DH-1266	133.50	134.50	1.00	0.05
24-DH-1266	134.50	136.00	1.50	0.1
24-DH-1266	136.00	137.50	1.50	<0.05
24-DH-1266	137.50	139.00	1.50	<0.05
24-DH-1266	139.00	140.50	1.50	<0.05
24-DH-1266	140.50	142.00	1.50	<0.05
24-DH-1266	142.00	143.50	1.50	<0.05
24-DH-1266	143.50	145.00	1.50	<0.05
24-DH-1266	145.00	146.50	1.50	<0.05
24-DH-1266	146.50	148.00	1.50	<0.05
24-DH-1266	148.00	149.50	1.50	<0.05
24-DH-1266	149.50	151.00	1.50	0.07
24-DH-1266	151.00	152.50	1.50	<0.05
24-DH-1266	152.50	154.00	1.50	<0.05
24-DH-1266	154.00	155.60	1.60	<0.05
24-DH-1266	155.60	157.00	1.40	<0.05
24-DH-1266	157.00	158.50	1.50	<0.05
24-DH-1266	158.50	160.00	1.50	<0.05
24-DH-1266	160.00	161.50	1.50	<0.05
24-DH-1266	161.50	163.00	1.50	<0.05
24-DH-1266	163.00	164.50	1.50	<0.05
24-DH-1266	164.50	166.00	1.50	<0.05
24-DH-1266	166.00	167.00	1.00	<0.05
24-DH-1266	167.00	168.00	1.00	<0.05
24-DH-1266	168.00	169.20	1.20	<0.05
24-DH-1266	169.20	170.50	1.30	<0.05
24-DH-1266	170.50	172.00	1.50	<0.05
24-DH-1266	172.00	173.50	1.50	<0.05
24-DH-1266	173.50	175.00	1.50	<0.05
24-DH-1266	175.00	176.00	1.00	<0.05
24-DH-1266	176.00	177.00	1.00	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	177.00	178.50	1.50	<0.05
24-DH-1266	178.50	179.90	1.40	<0.05
24-DH-1266	179.90	181.00	1.10	<0.05
24-DH-1266	181.00	182.50	1.50	<0.05
24-DH-1266	182.50	184.00	1.50	<0.05
24-DH-1266	184.00	185.50	1.50	<0.05
24-DH-1266	185.50	187.00	1.50	<0.05
24-DH-1266	187.00	188.00	1.00	<0.05
24-DH-1266	188.00	189.50	1.50	<0.05
24-DH-1266	189.50	191.00	1.50	<0.05
24-DH-1266	191.00	192.50	1.50	<0.05
24-DH-1266	192.50	194.00	1.50	<0.05
24-DH-1266	194.00	195.50	1.50	<0.05
24-DH-1266	195.50	197.00	1.50	<0.05
24-DH-1266	197.00	198.50	1.50	<0.05
24-DH-1266	198.50	200.00	1.50	<0.05
24-DH-1266	200.00	201.50	1.50	<0.05
24-DH-1266	201.50	203.00	1.50	0.05
24-DH-1266	203.00	204.50	1.50	<0.05
24-DH-1266	204.50	206.00	1.50	0.06
24-DH-1266	206.00	207.00	1.00	0.18
24-DH-1266	207.00	208.00	1.00	0.15
24-DH-1266	208.00	209.50	1.50	0.39
24-DH-1266	209.50	211.00	1.50	0.12
24-DH-1266	211.00	212.50	1.50	0.32
24-DH-1266	212.50	214.00	1.50	0.08
24-DH-1266	214.00	215.50	1.50	<0.05
24-DH-1266	215.50	217.00	1.50	<0.05
24-DH-1266	217.00	218.50	1.50	<0.05
24-DH-1266	218.50	220.00	1.50	<0.05
24-DH-1266	220.00	221.50	1.50	<0.05
24-DH-1266	221.50	223.00	1.50	<0.05
24-DH-1266	223.00	224.50	1.50	<0.05
24-DH-1266	224.50	226.00	1.50	<0.05
24-DH-1266	226.00	227.50	1.50	<0.05
24-DH-1266	227.50	229.00	1.50	<0.05
24-DH-1266	229.00	230.50	1.50	<0.05
24-DH-1266	230.50	232.00	1.50	<0.05
24-DH-1266	232.00	233.50	1.50	<0.05
24-DH-1266	233.50	235.00	1.50	<0.05
24-DH-1266	235.00	236.50	1.50	<0.05
24-DH-1266	236.50	238.00	1.50	<0.05
24-DH-1266	238.00	239.50	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	239.50	241.00	1.50	<0.05
24-DH-1266	241.00	242.50	1.50	<0.05
24-DH-1266	242.50	244.00	1.50	<0.05
24-DH-1266	244.00	245.50	1.50	0.05
24-DH-1266	245.50	247.00	1.50	0.18
24-DH-1266	247.00	248.50	1.50	0.06
24-DH-1266	248.50	249.80	1.30	0.06
24-DH-1266	249.80	251.50	1.70	0.06
24-DH-1266	251.50	253.00	1.50	0.08
24-DH-1266	253.00	254.50	1.50	0.05
24-DH-1266	254.50	256.00	1.50	0.09
24-DH-1266	256.00	257.00	1.00	0.09
24-DH-1266	257.00	258.00	1.00	0.08
24-DH-1266	258.00	259.50	1.50	0.16
24-DH-1266	259.50	261.00	1.50	0.13
24-DH-1266	261.00	262.50	1.50	0.13
24-DH-1266	262.50	264.00	1.50	<0.05
24-DH-1266	264.00	265.50	1.50	0.12
24-DH-1266	265.50	267.00	1.50	0.15
24-DH-1266	267.00	268.50	1.50	0.18
24-DH-1266	268.50	270.00	1.50	0.17
24-DH-1266	270.00	271.50	1.50	0.18
24-DH-1266	271.50	273.00	1.50	0.19
24-DH-1266	273.00	274.50	1.50	0.27
24-DH-1266	274.50	276.00	1.50	0.17
24-DH-1266	276.00	277.50	1.50	0.14
24-DH-1266	277.50	279.00	1.50	0.11
24-DH-1266	279.00	280.00	1.00	0.05
24-DH-1266	280.00	281.07	1.07	0.23
24-DH-1266	281.07	282.50	1.43	<0.05
24-DH-1266	282.50	284.00	1.50	<0.05
24-DH-1266	284.00	285.00	1.00	<0.05
24-DH-1266	285.00	286.00	1.00	<0.05
24-DH-1266	286.00	287.30	1.30	<0.05
24-DH-1266	287.30	289.00	1.70	0.3
24-DH-1266	289.00	290.50	1.50	0.52
24-DH-1266	290.50	292.00	1.50	0.34
24-DH-1266	292.00	293.50	1.50	0.08
24-DH-1266	293.50	295.00	1.50	0.09
24-DH-1266	295.00	296.50	1.50	0.61
24-DH-1266	296.50	298.00	1.50	0.91
24-DH-1266	298.00	299.50	1.50	0.32
24-DH-1266	299.50	301.00	1.50	0.29

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	301.00	302.50	1.50	0.16
24-DH-1266	302.50	304.00	1.50	0.09
24-DH-1266	304.00	305.50	1.50	0.14
24-DH-1266	305.50	307.00	1.50	0.11
24-DH-1266	307.00	308.50	1.50	0.45
24-DH-1266	308.50	310.00	1.50	0.37
24-DH-1266	310.00	311.50	1.50	0.66
24-DH-1266	311.50	313.00	1.50	0.74
24-DH-1266	313.00	314.50	1.50	0.74
24-DH-1266	314.50	316.00	1.50	0.83
24-DH-1266	316.00	317.50	1.50	2.46
24-DH-1266	317.50	319.00	1.50	0.05
24-DH-1266	319.00	320.50	1.50	0.26
24-DH-1266	320.50	322.00	1.50	0.89
24-DH-1266	322.00	323.50	1.50	0.59
24-DH-1266	323.50	325.00	1.50	0.18
24-DH-1266	325.00	326.50	1.50	<0.05
24-DH-1266	326.50	328.00	1.50	0.18
24-DH-1266	328.00	329.50	1.50	<0.05
24-DH-1266	329.50	331.00	1.50	<0.05
24-DH-1266	331.00	332.50	1.50	0.05
24-DH-1266	332.50	334.00	1.50	0.1
24-DH-1266	334.00	335.50	1.50	<0.05
24-DH-1266	335.50	337.00	1.50	<0.05
24-DH-1266	337.00	338.50	1.50	0.07
24-DH-1266	338.50	339.60	1.10	2.03
24-DH-1266	339.60	341.00	1.40	0.21
24-DH-1266	341.00	342.50	1.50	0.16
24-DH-1266	342.50	344.00	1.50	0.4
24-DH-1266	344.00	345.50	1.50	<0.05
24-DH-1266	345.50	347.00	1.50	<0.05
24-DH-1266	347.00	348.50	1.50	<0.05
24-DH-1266	348.50	350.00	1.50	<0.05
24-DH-1266	350.00	351.50	1.50	<0.05
24-DH-1266	351.50	353.00	1.50	<0.05
24-DH-1266	353.00	354.50	1.50	<0.05
24-DH-1266	354.50	356.00	1.50	0.11
24-DH-1266	356.00	357.50	1.50	0.17
24-DH-1266	357.50	359.00	1.50	0.38
24-DH-1266	359.00	360.50	1.50	0.28
24-DH-1266	360.50	362.00	1.50	0.11
24-DH-1266	362.00	363.50	1.50	0.1
24-DH-1266	363.50	365.00	1.50	0.2



<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	365.00	366.50	1.50	0.06
24-DH-1266	366.50	368.00	1.50	<0.05
24-DH-1266	368.00	369.50	1.50	0.09
24-DH-1266	369.50	371.00	1.50	<0.05
24-DH-1266	371.00	372.50	1.50	<0.05
24-DH-1266	372.50	374.00	1.50	<0.05
24-DH-1266	374.00	375.50	1.50	0.24
24-DH-1266	375.50	377.00	1.50	0.07
24-DH-1266	377.00	378.50	1.50	<0.05
24-DH-1266	378.50	380.00	1.50	<0.05
24-DH-1266	380.00	381.50	1.50	<0.05
24-DH-1266	381.50	383.00	1.50	0.07
24-DH-1266	383.00	384.50	1.50	<0.05
24-DH-1266	384.50	386.00	1.50	<0.05
24-DH-1266	386.00	387.50	1.50	0.06
24-DH-1266	387.50	389.00	1.50	0.06
24-DH-1266	389.00	390.50	1.50	0.05
24-DH-1266	390.50	392.00	1.50	<0.05
24-DH-1266	392.00	393.50	1.50	0.05
24-DH-1266	393.50	395.00	1.50	0.13
24-DH-1266	395.00	396.50	1.50	0.22
24-DH-1266	396.50	398.00	1.50	0.26
24-DH-1266	398.00	399.50	1.50	0.35
24-DH-1266	399.50	401.00	1.50	0.1
24-DH-1266	401.00	402.50	1.50	0.13
24-DH-1266	402.50	404.00	1.50	0.09
24-DH-1266	404.00	405.50	1.50	0.07
24-DH-1266	405.50	407.00	1.50	0.41
24-DH-1266	407.00	408.50	1.50	0.32
24-DH-1266	408.50	410.00	1.50	0.57
24-DH-1266	410.00	411.00	1.00	2.62
24-DH-1266	411.00	412.50	1.50	<0.05
24-DH-1266	412.50	414.00	1.50	<0.05
24-DH-1266	414.00	415.50	1.50	<0.05
24-DH-1266	415.50	417.00	1.50	<0.05
24-DH-1266	417.00	418.50	1.50	<0.05
24-DH-1266	418.50	420.00	1.50	<0.05
24-DH-1266	420.00	421.50	1.50	<0.05
24-DH-1266	421.50	423.00	1.50	<0.05
24-DH-1266	423.00	424.50	1.50	<0.05
24-DH-1266	424.50	426.00	1.50	<0.05
24-DH-1266	426.00	427.50	1.50	<0.05
24-DH-1266	427.50	429.00	1.50	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	429.00	430.50	1.50	0.06
24-DH-1266	430.50	432.00	1.50	0.12
24-DH-1266	432.00	433.50	1.50	0.1
24-DH-1266	433.50	434.50	1.00	0.11
24-DH-1266	434.50	435.47	0.97	0.1
24-DH-1266	435.47	437.00	1.53	0.14
24-DH-1266	437.00	438.50	1.50	0.14
24-DH-1266	438.50	440.00	1.50	0.24
24-DH-1266	440.00	441.50	1.50	<0.05
24-DH-1266	441.50	443.00	1.50	<0.05
24-DH-1266	443.00	444.30	1.30	0.25
24-DH-1266	444.30	446.00	1.70	<0.05
24-DH-1266	446.00	447.50	1.50	0.3
24-DH-1266	447.50	449.00	1.50	0.75
24-DH-1266	449.00	450.50	1.50	0.26
24-DH-1266	450.50	452.00	1.50	0.05
24-DH-1266	452.00	453.80	1.80	0.09
24-DH-1266	453.80	455.00	1.20	0.34
24-DH-1266	455.00	456.50	1.50	<0.05
24-DH-1266	456.50	458.10	1.60	<0.05
24-DH-1266	458.10	459.15	1.05	<0.05
24-DH-1266	459.15	461.00	1.85	<0.05
24-DH-1266	461.00	462.50	1.50	<0.05
24-DH-1266	462.50	464.00	1.50	<0.05
24-DH-1266	464.00	465.50	1.50	<0.05
24-DH-1266	465.50	467.00	1.50	<0.05
24-DH-1266	467.00	468.50	1.50	<0.05
24-DH-1266	468.50	470.00	1.50	<0.05
24-DH-1266	470.00	471.50	1.50	<0.05
24-DH-1266	471.50	473.00	1.50	<0.05
24-DH-1266	473.00	474.50	1.50	0.09
24-DH-1266	474.50	476.00	1.50	<0.05
24-DH-1266	476.00	477.75	1.75	0.15
24-DH-1266	477.75	479.57	1.82	<0.05
24-DH-1266	479.57	481.16	1.59	<0.05
24-DH-1266	481.16	483.00	1.84	<0.05
24-DH-1266	483.00	484.50	1.50	0.56
24-DH-1266	484.50	486.00	1.50	<0.05
24-DH-1266	486.00	487.00	1.00	<0.05
24-DH-1266	487.00	489.00	2.00	0.09
24-DH-1266	489.00	491.00	2.00	<0.05
24-DH-1266	491.00	493.00	2.00	<0.05
24-DH-1266	493.00	494.75	1.75	<0.05

<b>Drillhole ID</b>	<b>From</b>	<b>To</b>	<b>True Width (m)</b>	<b>Gold Grade (g/t Au)</b>
24-DH-1266	494.75	496.00	1.25	<0.05
24-DH-1266	496.00	497.50	1.50	<0.05
24-DH-1266	497.50	499.00	1.50	<0.05
24-DH-1266	499.00	500.50	1.50	0.05
24-DH-1266	500.50	502.00	1.50	<0.05
24-DH-1266	502.00	503.50	1.50	<0.05
24-DH-1266	503.50	505.00	1.50	<0.05
24-DH-1266	505.00	506.50	1.50	<0.05
24-DH-1266	506.50	508.00	1.50	<0.05
24-DH-1266	508.00	509.50	1.50	<0.05
24-DH-1266	509.50	511.00	1.50	0.1
24-DH-1266	511.00	512.50	1.50	0.1
24-DH-1266	512.50	514.00	1.50	0.26
24-DH-1266	514.00	515.50	1.50	0.27
24-DH-1266	515.50	517.00	1.50	0.26
24-DH-1266	517.00	518.50	1.50	<0.05
24-DH-1266	518.50	520.00	1.50	<0.05
24-DH-1266	520.00	522.00	2.00	0.32
24-DH-1266	522.00	524.00	2.00	0.18
24-DH-1266	524.00	525.50	1.50	0.47
24-DH-1266	525.50	527.00	1.50	<0.05
24-DH-1266	527.00	528.50	1.50	0.13
24-DH-1266	528.50	530.00	1.50	<0.05
24-DH-1266	530.00	531.50	1.50	<0.05
24-DH-1266	531.50	532.50	1.00	<0.05
24-DH-1266	532.50	534.00	1.50	0.71
24-DH-1266	534.00	535.50	1.50	<0.05
24-DH-1266	535.50	536.85	1.35	<0.05
24-DH-1266	536.85	538.50	1.65	<0.05
24-DH-1266	538.50	540.00	1.50	0.38
24-DH-1266	540.00	541.50	1.50	0.3
24-DH-1266	541.50	543.00	1.50	0.14
24-DH-1266	543.00	544.50	1.50	0.15
24-DH-1266	544.50	546.00	1.50	<0.05
24-DH-1266	546.00	547.50	1.50	<0.05
24-DH-1266	547.50	549.00	1.50	0.26
24-DH-1266	549.00	550.50	1.50	0.13
24-DH-1266	550.50	552.00	1.50	0.08
24-DH-1266	552.00	553.50	1.50	<0.05
24-DH-1266	553.50	555.00	1.50	0.22
24-DH-1266	555.00	556.50	1.50	0.46
24-DH-1266	556.50	558.50	2.00	0.21

**Table 1: 2024 Drill Program (Fully Verified Results previously released as preliminary in nature on 16Oct2024)**

Drillhole ID	From	To	True Width (m)	Gold Grade (g/t Au)
24-DH-1267	638.15	639.50	1.35	0.48
24-DH-1267	639.50	641.00	1.50	0.12
24-DH-1267	641.00	642.60	1.60	0.18
24-DH-1267	642.60	643.90	1.30	(0.05)
24-DH-1267	643.90	645.50	1.60	0.43
24-DH-1267	645.50	647.00	1.50	0.11
24-DH-1267	647.00	648.50	1.50	0.10
24-DH-1267	648.50	650.00	1.50	0.38
24-DH-1267	650.00	651.50	1.50	0.17
24-DH-1267	651.50	652.50	1.00	0.43
24-DH-1267	652.50	653.80	1.30	0.14

Notes:

- 1) Intersections are calculated above 0.15 g/t Au cut-off.
- 2) The Company is unaware of any drilling, sampling or recovery factors that could materially affect the accuracy or reliability of the data presented above.

**Table 2: Drill Hole Location**

HOLE-ID	LOCATION X	LOCATION Y	LOCATION Z	Azimuth	Dip	LENGTH
24-DH-1264	603928.32	5828193.718	1072.499	120	-70	584.00
24-DH-1265	603857.003	5828239.571	1075.001	120	-70	537.50
24-DH-1266	603781.925	5828262.461	1065.138	120	-70	558.00
24-DH-1267	603699.827	5828270.035	1067.569	120	-70	653.80

**Drill Core Processing, Data Verification and Quality Assurance – Quality Control Program (QA/QC)**

Once received from the drill and processed, all drill core samples are sawn in half, labeled, and bagged. The remaining half of the drill core is securely stored on-site. Numbered security tags are applied to sample shipments to ensure chain of custody compliance. The Company inserts quality control (QC) samples at regular intervals, including blanks and reference materials, with all sample shipments to monitor laboratory performance. The QA/QC program is overseen by the Company's Qualified Person, Julian Manco, P.Geo, Director of Exploration (as described below).

Drill core samples are submitted to ALS Geochemistry's analytical facility in Kamloops, British Columbia, for preparation with analysis performed in Vancouver. The ALS facility is accredited to the ISO/IEC 17025 standard for gold assays, with all analytical methods incorporating quality control materials at defined frequencies and established data acceptance criteria.

Each entire sample is crushed, and a 1 kg portion is pulverized. Gold analysis is conducted using a 30 g fire assay fusion with an atomic absorption (AAS) finish, with detection limits ranging from 0.005 ppm to 10 ppm. Also, Au Screen 30 g FA, 1 kg, 100 - 106 µm method is used with detection limits ranging from 0.05 ppm to 10%. Overlimit gold values are analyzed by fire assay with a gravimetric finish.

The samples are also subjected to a 34-element geochemical analysis using a 4-acid digestion, followed by Inductively Coupled Plasma Atomic Emission Spectroscopy (ICP-AES). Results are reviewed by Spanish

Mountain's geologists using ALS's QCPro™ software to ensure quality assurance before disclosure. ALS is independent of the Company.

Julian Manco, M.Sc., P.Geo., has thoroughly verified the data disclosed in this news release. The data verification process involved a multi-step approach to ensure accuracy and integrity. This included a detailed quality control (QC) analysis of the data, which was performed using both internal and external platforms, such as the QCPro™ software. These QC checks involved the analysis of certified reference materials (CRMs), blanks, and duplicates to confirm the reliability of the assay results. In addition, Julian conducted a field inspection of the specific drill intervals mentioned in this release to directly observe the geological features and verify the nature of the results presented

**Qualified Person**

Julian Manco, M.Sc, P.Geo., Director of Exploration with Spanish Mountain Gold, is the Qualified Person as defined under National Instrument 43-101 who has reviewed and approved the contents of this document.